

*Reflectiv.*  
Window Films



CATALOG





EUROPEAN LEADER IN  
WINDOW ADHESIVE  
FILMS

In a constantly evolving economic market, we are developing new films to meet the needs of our most demanding customers. Today, we export our products worldwide, and demand continues to grow across all our ranges, both decorative and technical. To meet your requirements, we have created a new comprehensive reference tool that brings together our entire film collection.  
This tool is designed to help you easily navigate our offerings and select the perfect adhesive film for your specific needs, whether for aesthetic enhancement or technical functionality.



**DELIVERY :**



**FIND US AT :**



**MAI 2025 - BERLIN**  
BOOTH NUMBER 6.2-B55



**FEBRUARY 2025 - LYON**  
BOOTH NUMBER 2R34

TABLE OF  
CONTENTS

	DECORATIONS	P.3 - P.28
	COLORS	P.29 - P.34
	STATIC	P.35 - P.38
	HOMESTAGING	P.39 - P.54
	SUN PROTECTION	P.55 - P.68
	SÉCURITY	P.69 - P.80
	MIRRORS	P.81 - P.84
	INNOVATIVE	P.85 - P.88
	AUTOMOBILES	P.89 - P.92
	ACCESSORIES	P.93 - P.98

\* Prices in this catalog are exclusively in NET





FOLLOW US ON



WWW.REFLECTIV.COM



@reflectivfilms



Reflectiv Window Films

Feel free to send us photos of your creations at: [marketing@reflectiv.com](mailto:marketing@reflectiv.com)

# DECORATION FROSTED SOLID FILMS INDOOR INSTALLATION

Our solid frosted films, available in various levels of opacity and sizes, are perfect for decorating your glass surfaces while creating privacy zones tailored to your needs.



TECHNICAL  
SHEET

INT 456

INT 356

INT 256

INT 200

INT 209

INT 280

INT 401

INT 411

Very light  
greyish

To combine with  
frosted decorative  
films

Slightly acid

Very Opaque  
White Frosted

Very Opaque White  
Frosted 2.10m

Opaque White  
Frosted

Slightly Grey  
Frosted

Grey Frosted



INT 200

**WHITE FROSTED**  
**- PRIVACY BLOCKING**

47 microns - PET  
Indoor Installation



INT 456

**CLEAR FROSTED**  
**- PARTIALLY BLOCKS VIEW**

100 microns - PVC  
Indoor and Outdoor Installation



INT 756

**FROSTED**  
**- PARTIALLY BLOCKS VIEW**

100 microns - PVC Polymer  
Indoor and Outdoor Installation



INT 401

**GREY FROSTED**  
**- PARTIALLY BLOCKS VIEW**

100 microns - PVC  
Indoor and Outdoor Installation  
Also available in 1.22 m height.



INT 280

**WHITE FROSTED**  
**- BLOCKS VIEW**


80 microns - PVC  
Indoor and Outdoor Installation



INT 356

**CLEAR FROSTED**  
**- BLOCKS VIEW**

35 microns - PET  
Indoor Installation



**THE +**  
It matches our  
frosted  
decorative  
films!

DECO FILM

INT 356



INT 209

**WHITE FROSTED 2.10M**  
**- BLOCKS VIEW**

55 microns - PET  
Indoor Installation



INT 383

**OPAQUE WHITE**  
**- BLOCKS VIEW**

30 microns - PET  
Indoor Installation



FILM DÉCO

**THE +**  
It matches our  
white  
decorative  
films!

INT 383



INT 404

**GREEN FROSTED**  
**- PARTIALLY BLOCKS VIEW**

100 microns - PVC  
Indoor and Outdoor Installation  
Also available in 1.22 m height.



INT 411

**GREY FROSTED**  
**- PARTIALLY HIDES THE VIEW**

100 microns - PVC  
Indoor and outdoor installation  
Also available in 1.22 m height.




IT SECURES YOUR GLAZING!

INT 856

**FROSTED BROSSÉD**  
**- PARTIALLY HIDDEN FROM VIEW**

80 microns - PET  
Interior & exterior installation  
Also available in 1.22 m height.



Also available  
in blue



DECORATION RANGE


# STRIED FILMS

Réfectiv offers you its ribbed films,  
which modify the view and lighting effects.

They create a raised glass effect  
glass effect, while providing a degree of privacy  
privacy, depending on the model chosen.

*Reflectiv*  
Window Films

TECHNICAL  
SHEET



STR 01




STR 02



STR 04



STR 05




NEW  
STR 09




NEW  
STR 10



STR 06



STR 07



STR 08

**STRIATED FILM - PARTIALLY  
HIDDEN FROM VIEW**  
80 microns - PET  
Interior installation





DECORATION RANGE

# DEGRESSIVE WHITE / FROSTED / METALLIC

The degressive films shown are available  
in white and frosted versions.



**INT 129 / INT 139**  
**WHITE SLIDING SCALE**  
**CACHE LA VUE**  
55 microns - PET  
Indoor installation  
2,10 m

INT 129

Full : 90 cm

INT 139

Full : 145 cm

INT 120

Full : 20 cm

INT 122

Full : 20 cm

INT 128

Full : 20 cm

EFFET MIROIR

**INT 120 / INT 122**  
**WHITE SLIDING SCALE**  
**FROSTED GRADIENT**  
**HIDE VIEW**  
PET  
Indoor installation

**INT 130 / INT 132**  
**DEGRESSIVE WHITE /**  
**DEPRESSIVE POLISHED**  
**HIDES THE VIEW**  
PET  
Indoor installation

**INT 128 / INT 138**  
**METALLIC DEGRESSIVE**  
**MIRROR**  
**HIDES THE VIEW**  
50 microns - PET Crystal  
Indoor installation

INT 130

Full : 30 cm

INT 132

Full : 30 cm

INT 138

Full : 30 cm

EFFET MIROIR





DEGRESSIVE WHITE  
DEPRESSIVE  
POLISHED- HIDE VIEW  
PET  
Indoor installation



INT 110

Full : 60 cm



INT 115

Full : 60 cm



INT 123

Full : 20 cm



INT 124

Full : 20 cm



INT 126

Full : 75 cm



INT 127

Full : 75 cm



INT 142

Full : 100 cm



INT 140

Full : 100 cm



INT 147

Full : 130 cm



DEGRESSIVE WHITE  
DEPRESSIVE  
POLISHED- HIDE VIEW  
PET  
Indoor installation







# DEGRESSIVE COLORS

NEW

COLOR DEGRESSIVE  
HIDE VIEW  
55 microns - PET  
Indoor installation  
1,52 m



COLOR DEGRESSIVE  
HIDE VIEW  
55 microns - PET  
Indoor installation  
1,52 m



TECHNICAL  
SHEET







TECHNICAL  
SHEET







DECORATION RANGE

# BLACKOUT PATTERNS WHITE / FROSTED

Our blackout patterned films allow you to partially block vision while dressing up your windows.

The patterns offer different degrees of privacy, from intimate to airy.



TECHNICAL  
SHEET

INT 520

INT 288

INT 300


INT 320

INT 333


INT 363

INT 290





INT 450




INT 470




INT 491



INT 480



INT 460




INT 520



INT 940




INT 468



INT 538



INT 780



NEW  
INT 390



INT 540



NEW  
INT 389



INT 864





INT 512



INT 486



INT 478



INT 510



INT 348



INT 343

Silver/mirror dots

White dots




INT 150



INT 353



INT 500



INT 490




INT 792

INT 528











INT 539



INT 530



INT 535



INT 537



INT 539



INT 532



INT 534



INT 536

DECORATION RANGE

# REASON NATURE DEPOLISH

Reflectiv offers a range of natural films to personalize your glazing to suit your needs.



TECHNICAL  
SHEET







Can be combined with  
color films

DECORATION RANGE

# REASONS GEOMETRIC

Our geometrically patterned self-adhesive films add a modern, elegant touch to any space. Whether for decorative use or to demarcate areas, these clean-lined designs add structure and style. Easy to install, they can transform your interior in the blink of an eye.



TECHNICAL  
SHEET

INT 782

NEW

INT 789

INT 770

INT 380





## ADD A MODERN & ORIGINAL FINISH

### INDOOR INSTALLATION

Complement and enhance all your decorative frosted films

### THE +

You can also use our decorative friezes in the form of display strips.

# FILMS COLORS

Reflectiv offers 16 shades to dress up your glazing, while maintaining transparency and luminosity. Change the look of your rooms or offices in the blink of an eye.



TECHNICAL  
SHEET







# FILMS COLORS TRANSPARENT INDOOR INSTALLATION

For façade installation, please refer to the DTU 39 standard. Please do not hesitate to contact us.  
\* Non-contractual photo

Plum 61276	Violet 60487	Lilac 67047	Ocean blue 60685	Azure blue 61185	Turquoise blue 63545	Spring green 60214	Mint green 60894	Yellow 61011	Orange 61052	Pink 60366	Fuchsia 60026	Raspberry 61133	Vermillion red 60193	Brown 60259	Black 60210
---------------	-----------------	----------------	---------------------	---------------------	-------------------------	-----------------------	---------------------	-----------------	-----------------	---------------	------------------	--------------------	-------------------------	----------------	----------------



INT 817



**BLACK OUT MAT**  
75 microns - PET  
Blocks 100% of light  
Indoor installation

INT 803



**WHITE OUT GLOSSY**  
75 microns - PET  
Blocks 97% of light  
Indoor installation

INT 807



**BLACK OUT GLOSSY**  
75 microns - PET  
Blocks 100% of light  
Indoor installation

## GOOD TO KNOW :

**INT 817 / INT 803 / INT 807**  
**PPMS** (Plan Particulier de Mise en Sécurité) compatible. The PPMS law is a compulsory process for all educational establishments: schools, collèges, lycées or or specialized establishments. It provides against major risks that may arise within your establishment.








# FILMS

## DICHROIC


### INDOOR INSTALLATION



TECHNICAL  
SHEET



IRS 226




**IRIDESCENT**  
75 microns - PET  
Rainbow highlights


DCH 426



DCH 326



**DICHROIC**  
55 microns - PET  
Color reflections - Blue / Red  
Reflective




**DICHROIC**  
55 microns - PET  
Reflective colors - Yellow / Violet  
Reflective







DCH 427




**DICHROIC**  
55 microns - PET  
Color reflections - Blue / Red  
Reflective  
Glue-free installation

# STATICS

## FROSTED / RELIEF

### INTERIOR INSTALLATION

Our range of static films allows you to decorate your windows and change the look easily and whenever you want.



TECHNICAL  
SHEET

DCH 327




**DICHROIC**  
55 microns - PET  
Reflective colors - Yellow / Violet  
Reflective  
Glue-free installation







STC 160



STC 190




STC 220



STC 250



STC 310



STC 400



STC 370



STC 340



STC 280



STC 430







STC 550



STC 530



STC 510



STC 520



STC 590



STC 570



STC 560



STC 540



STC 580


# HOME STAGING NATURAL STONES

Made from 100% natural stone with a 3D effect, our stone films, harder and more resistant than slate tiles, will bring your interior back to life.



TECHNICAL  
SHEET

STN 284







STN 281




STN 282



STN 283



STN 284




STN 285




STN 286



STN 483



STN 491



STN 492



STN 493


STN 492



No sample possible

## SUN PROTECTION INDOOR INSTALLATION

Our self-adhesive solar protection films can be adapted to all your glass surfaces, offering different filtration options to suit your needs. They reduce heat and glare, and protect your spaces while maintaining a bright, elegant look.



TECHNICAL  
SHEET








SOL 101




**75 %**  
**SUN PROTECTION**  
Silver metallic  
70 microns - PET crystal

SOL 150



**54 %**  
**SUN PROTECTION**  
Silver metallic  
70 microns - PET crystal

SOL 160



**68 %**  
**SUN PROTECTION**  
Silver metallic  
70 microns - PET crystal

**CAN BE INSTALLED ON :**



**SIMPLE**  
4 / 6 / 8 / 10 mm



**SOAKED**



**DOUBLE GLAZING**  
CLAIR < 1,20 M<sup>2</sup>



SOL 111



**82 %**  
**SUN PROTECTION**  
Silver metallic sputter  
85 microns - PET crystal

**CAN BE INSTALLED ON :**



**SIMPLE**  
4 / 6 / 8 / 10 mm



**SOAKED**




**DOUBLE GLAZING**  
CLAIR < 1,20 M<sup>2</sup>







SOL 158



**52 %**


**SUN PROTECTION**

Silver dots

55 microns - PET

**ALL TYPES OF ECO-RESPONSIBLE GLAZING**

SOL 251



**68 %**

**SUN PROTECTION**

Silver metallic

70 microns - PET crystal

IR 50




**54 %**

**SUN PROTECTION**

Silver metallic

70 microns - PET crystal

IR 80



**54 %**

**SUN PROTECTION**

Silver metallic

70 microns - PET crystal

ATH 101



**61 %**

**SUN PROTECTION**

Silver metallic

70 microns - PET crystal

**ALL TYPES OF GLAZING**

**MICRO-PERFORATED**

**APPEARANCE**


### THE BENEFITS:

A major innovation, ATH 101 is the only metallized solar protection film in the world that can be installed indoors on any type of glazing. Its unique design enables it to break up light rays for stunning results.

- **Invisible from a distance of 1m**
- **Selective metallization**
- **Anti-glare**
- **No risk of overheating**
- **Compatible with all types of glazing**



Vision at 1m



Vision at 30cm







SOL 275



**75 %**  
**SUN PROTECTION + SAFETY**  
Silver metallic  
115 microns - PET crystal



**CAN BE INSTALLED ON :**

 **SIMPLE**  
4 / 6 / 8 / 10 mm

 **SOAKED**

 **DOUBLE GLAZING**  
CLAIR < 1,20 M<sup>2</sup>



TECHNICAL  
SHEET

**SUN PROTECTION**  
**EXTERIOR INSTALLATION**

Refer to DTU 39 mirror standards







SOL 102



**79 %**  
**SUN PROTECTION**  
Silver metallic  
85 microns - PET crystal  
**ALL TYPES OF GLAZING**



SOL 152



**55 %**  
**SUN PROTECTION**  
Silver metallic  
85 microns - PET crystal  
**ALL TYPES OF GLAZING**



SOL 162



**71 %**  
**SUN PROTECTION**  
Silver metallic  
85 microns - PET crystal  
**ALL TYPES OF GLAZING**



SUN PROTECTION INDOOR INSTALLATION

PROTECTION SOLAIRE POSE EXTÉRIEURE

SOL 108



**80%**  
**SUN PROTECTION**  
Silver metallic  
65 microns - PET crystal  
**ALL TYPES OF GLAZING**



**TO KNOW :**

SOL 108 is the first exterior film to offer a 10-year warranty for vertical installation and a 5-year warranty for inclined installation. Highly recommended, its performance and durability make it an ideal choice for sloping roofs and glass surfaces.

Exterior view


Interior view








SOL 112



**83 %**  
**SUN PROTECTION**  
Silver metallic sputter  
90 microns - PET crystal  
**ALL TYPES OF GLAZING**

SOL 332



**79 %**  
**SUN PROTECTION**  
Metallic grey  
90 microns - PET crystal  
**ALL TYPES OF ECO-RESPONSIBLE GLAZING**

IR 50X



**56 %**  
**SUN PROTECTION**  
Extra-clear  
80 microns - PET  
**ALL TYPES OF GLAZING**

IR 70X




**62 %**  
**SUN PROTECTION**  
Extra-clear blue grey  
90 microns - PET crystal  
**ALL TYPES OF GLAZING**







IR 80X



**71%**  
**SUN PROTECTION**  
Extra-clear blue grey  
70 microns - PET crystal  
**ALL TYPES OF GLAZING**


IR 95X



**52 %**  
**PROTECTION SOLAIRE**  
Black metallic  
70 microns - PET crystal  
**ALL TYPES OF CLEAR GLAZING -**  
**ECO-RESPONSIBLE**

## UV PROTECTION INDOOR INSTALLATION

Our UV Protection adhesive films block UV rays while remaining transparent. Ideal for shop windows and professional spaces, they protect your surfaces and preserve your interiors from fading without altering natural light.



TECHNICAL  
SHEET







UVA 151



**ABSORBS 99% OF ULTRAVIOLET A**

Colorless  
65 microns - PET crystal

UVB 460




**ABSORBS ULTRAVIOLET A AND B RAYS**

Nearly colorless\*  
40 microns - PET cristal

STC 900

# SECURITY TEMPORARY PROTECTION

Our self-adhesive safety films reinforce your glass and windows, offering extra protection against impact and breakage. Ideal for professional or residential environments, they fortify your surfaces while preserving their original appearance.



TECHNICAL  
SHEET







STC 900



**TEMPORARY PROTECTION -  
COLORLESS**

90 microns - PVC

**ELECTROSTATIC REUSABLE**

Protection against scratches, impact and  
dust temporarily

*Interior & exterior dry installation*

PTB 50



**TEMPORARY PROTECTION -  
TRANSLUCENT BLUE - ELECTROSTATIC**

50 microns - PEBD

**CONSTRUCTION SITE RISKS**

Protection against scratches, dust and paint  
splashes

*Interior & exterior installation*

TEC 200



**PROVISIONAL PROTECTION - COLORLESS**

100 microns - PET


**GLASS BREAKAGE**

Secure before replacement. Dry application

- Euroclasses -

*Interior & exterior installation*

AGM 400



# SECURITY ANTI-GRAFFITIS

Our anti-graffiti adhesive films prevent paint from becoming embedded and make  
cleaning easier, protecting your surfaces from damage. Ideal for public spaces, they  
preserve aesthetics while simplifying maintenance.



X4

**ANTI-GRAFFITIS - COLORLESS**

400 microns - PVC

**MULTICOUCH**

**4 USES FOR 1 INSTALLATION**

- Euroclasses -

*Interior & exterior installation*







AGR 100



**ANTI-GRAFFITIS - COLORLESS**

100 microns - PET

**REPOSITIONABLE**

**PROTECTION AGAINST URBAN VANDALISM**

- Euroclasses -

*Indoor & outdoor installation*

AGI 100



**ANTI-GRAFFITI / SCRATCHES / ACIDS - COLORLESS**

100 microns - PET

**PROTECTION AGAINST URBAN VANDALISM**

- Euroclasses -

*Indoor & outdoor installation*

SÉCURITÉ **ANTI-GRAFFITIS**

AGI 50



**ANTI-GRAFFITI / SCRATCHES / ACIDS - COLORLESS**

50 microns - PET

**PROTECTION AGAINST URBAN VANDALISM**

- Euroclasses -

*Indoor & outdoor installation*

AGI 200



**ANTI-GRAFFITI / SCRATCHES / ACIDS - COLORLESS**


200 microns - PET

**PROTECTION AGAINST URBAN VANDALISM**

- Euroclasses -

*Indoor & outdoor installation*

Self-healing version available Ref AGC200



**SECURITY**  
**INDOOR INSTALLATION**

SEC 058

**STANDARDS EN 12600 - COLORLESS**

200 microns - PET cristal

**FOR GLAZING BELOW 3M2**

SEC 054



**NPF 78406 STANDARDS - COLORLESS**

100 microns - PET cristal

**FOR GLAZING BELOW 3M2**

SEC 052



**STANDARDS EUROCLASSES - COLORLESS**

50 microns - PET cristal

**FOR GLAZING BELOW 3M2**

**GOOD TO KNOW :**

SEC 058 / SEC 054 / SEC 052 /  
SEC 058X / SEC 054X / SEC 052X

**PPMS (Plan Particulier de Mise en Sécurité)** compatible  
The PPMS law is a compulsory process for all educational establishments: schools, collèges, lycées and specialized establishments. It enables you to protect yourself in the event of major risks occurring on your premises.







# SECURITY

## OUTDOOR INSTALLATION

### SEC 052X

#### EUROCLASSES STANDARDS - COLORLESS

50 microns - PET cristal  
FOR GLAZING OVER 3M2

### SEC 054X



#### NPF 78406 STANDARDS - COLORLESS


100 microns - PET cristal  
FOR GLAZING OVER 3M2

### SEC 058X



#### STANDARDS EN 12600 - COLORLESS

200 microns - PET cristal  
FOR GLAZING OVER 3M2



# SECURITY

## HIGH

## INTERIOR INSTALLATION

### TOP 300



#### NF EN 356 STANDARDS - COLORLESS

330 MICRONS - MULTILAYER PET  
**HIGH-SECURITY ANTI-INTRUSION-**  
Euroclasses -




SPECIFIC APPLICATION  
CLEAN WATER ONLY

### TOP 300R



#### NF EN 1063 STANDARDS - COLORLESS

330 MICRONS - MULTILAYER PET  
**BULLETPROOF**  
- Euroclasses -  
*To be applied on 2 sides*



SPECIFIC APPLICATION  
CLEAN WATER ONLY







SECURITY  
HIGH  
OUTDOOR INSTALLATION

TOP 300X



**NF EN 356 STANDARDS - COLORLESS**  
330 MICRONS - MULTILAYER PET  
**ANTI-EXPLOSION, DELAYS INTRUSION**



SPECIFIC APPLICATION  
CLEAN WATER ONLY

TOP 300XR



**NF EN 1063 STANDARDS - COLORLESS**  
330 MICRONS - MULTILAYER PET  
**BULLETPROOF**



SPECIFIC APPLICATION  
CLEAN WATER ONLY

AFG 100



**SAFETY AND ANTI-BLEED FILM -  
COLORLESS**  
100 microns - PET crystal  
*Indoor & outdoor installation*

**USE :**  
Motorcycle helmets, goggles, mirrors, ba-  
throoms, changing rooms, swimming pools,  
cool-glazing, etc.



SECURITY  
PROTECTION AND ANTI-FOGGING







**SECURES MIRRORS IN CASE OF  
BREAKAGE - COLORLESS**

75 microns - PET

**APPLIED TO THE BACK OF MIRRORS**

**THE ADVANTAGE:**

Once the film has been applied to the back of your mirror, you can hang it on any surface (wall, wood, door, etc.) using your usual adhesives (double-sided / silicone glue etc.).




# SECURITY

## VISUAL RANGE


### MANDATORY IN PUBLIC PLACES INDOOR INSTALLATION

These visualization films can be used to highlight partition glazing in public areas.


Legislation governing the Roads and Public Spaces sector. Order of August1, 2006. Circular DGUHC 2007-53.



TECHNICAL  
SHEET








VISUAL 05



VISUAL 06



VISUAL 12




VISUAL 20




VISUAL 44




VISUAL 50




VISUAL 56




VISUAL 60



TWY 100



TWY 150



TWY 200

## FILMS ONE-WAY MIRRORS

Our one-way mirror adhesive films offer protection against prying eyes, giving your windows and windowshades a mirror-like effect. The Day & Night range guarantees optimum interior brightness, while preserving your privacy from the outside.




TECHNICAL  
SHEET



MIR 900



MIR 500



MIR 500   MIR 501\*   MIR 502\*   MIR 503\*   MIR 504\*   MIR 505\*


**ONE-WAY MIRROR**  
Silver / Gold / Red / Blue / Green / Bronze

60 microns - PET crystal

Interior installation

\* on glazing not exposed to the sun

MIR 500X



**ONE-WAY MIRROR - SILVER**

80 microns - PET crystal

Outdoor installation

MIR 900



**PERFECT MIRROR EFFECT**

**TOTAL MIRROR 100% - SILVER**

60 microns - PET crystal

Interior installation

Double-sided, scratch-resistant mirror.

MIX 551



**ONE-WAY SAFETY MIRROR - SILVER**

115 microns - PET crystal

**REINFORCES GLAZING**

Interior installation

MIR 200



**DEPOLISHED MIRROR**

90 microns - PET crystal

Interior installation

Frosted on the inside and mirrored on the outside

INT 128



INT 138



**DEGRESSIVE METALLIC MIRROR  
HIDES THE VIEW**



50 microns - PET Crystal

Interior installation

INT 128 / INT 138  
Return to page 9


**THE +**

CAN BE INSTALLED ON :





MDN 500



#### DAY & NIGHT ONE-WAY MIRROR - SILVER / BLACK

60 microns - PET crystal

*Interior installation*

Our new Day & Night range, thanks to its black color inside, allows you to protect yourself from prying eyes by extending the mirror effect after sunset.

MDN 500X



#### DAY & NIGHT ONE-WAY MIRROR - SILVER / BLACK


60 microns - PEY crystal

*Outdoor installation*

**Our one-way mirror films require a minimum level of brightness for optimal operation. Please contact our sales department to check the compatibility of your project if necessary.**

## INNOVATIVE FILMS

Our innovative self-adhesive films offer advanced solutions for modulating transparency, protecting against prying eyes and adapting to your specific needs. Ideal for preserving your privacy while maintaining a modern design



TECHNICAL  
SHEET





ELC 200

OFF



ON



## ELECTRICAL FILM CONTROLLED OPACITY

400 microns

Switching from opaque to transparent glazing  
is now possible thanks to our liquid  
crystal technology.

*Interior installation*

### QUOTE BY PROJECT

Please contact us

Price excluding accessories (remote control,  
transformer, etc.)

FLASH THIS CODE TO SEE  
THE TEST VIDEO



### ALSO AVAILABLE IN :

NEW



Green  
ELC 201



Blue  
ELC 202



Orange  
ELC 203




Black  
ELC 204




Red  
ELC 205

HPC 200



FRONT VIEW



PROFILE VIEW



### FILM EYES

330 microns - PET

*Indoor installation*

Please check direction of film application.  
Static version also available on request.

### THE +

HPC 200 is an adhesive film that offers a dual appearance  
depending on the viewing angle. Viewed from the front,  
HPC 200 is completely transparent. On the other hand,  
when viewed from the side, it becomes.  
Opaque

HPC 100



VISION SANS FILM DE BROUILLAGE



VISION AVEC FILM DE BROUILLAGE



### PAR POLARIZATION JAMMING FILM

180 microns - PET

*Indoor installation*

For installation on glass partitions, windows...

### THE +

This revolutionary film will keep all your data safe from  
prying eyes (depending on the screen technology used).

Apply to office glass surfaces.







ARF 100



#### ANTI-REFLECTIVE FILM

100 microns - PET crystal  
*Indoor installation*

#### THE +

ARF 100 is an anti-reflective film that reduces or even eliminates unsightly natural reflections.

SCR 360



#### REAR PROJECTION FILM

100 microns - PET  
*Outdoor installation*

#### THE +

Rear projection film is an adhesive film that can turn any window into a display screen. It provides a visible image on both sides of the glass, which reverts to transparency once the projector is switched off.



TECHNICAL  
SHEET




## AUTOMOTIVE FILM TINTED FILM

Our adhesive films for vehicle windows reduce light and lower interior heat, offering optimum comfort and a touch of discretion on your journeys.





FOTO 200



### PHOTOCHROMIC LIGHT TRANSITION


*Clear / tinted*

**75 microns - PET crystal**

*Indoor installation*

**20-50% VISIBLE LIGHT TRANSMISSION**

FOTO 450



### PHOTOCHROMIC LIGHT TRANSITION

*Clear / tinted*

**75 microns - PET crystal**

*Indoor installation*

**45-75% VISIBLE LIGHT TRANSMISSION**

#### THEIR ADVANTAGES :

Photochromic films automatically tint according to UV exposure.

**5%**  
AUTS05, P05,  
D05, EXLB05

**10%**  
AUTC10, P10,  
D10, EXLB10

**15%**  
AUTC15, P15,  
D15, EXLB1

**20%**  
AUTC20, P20,  
D20, EXLB20


**25%**  
AUTC25, P25,  
D25, EXLB25

**35%**  
AUTC35, P35,  
D35, EXLB35

**50%**  
AUTC50, P50,  
D50, EXLB50

**70%**  
AUTC70, P70,  
D70, EXLB70

**83%**  
AUTC83, P83,  
D83, EXLB83







AUTO **C&S**



**TINTED**

**30 microns - PET crystal**  
*Indoor installation*

AUTO **P**



**TINTED**

**60 microns - PET crystal**  
*Indoor installation*

AUTO **D**



**MASS TINTED**

**30 microns - PET crystal**  
*Indoor installation*

AUTO **EXLB**



**CERAMICS**

**60 microns - PET crystal**  
*Indoor installation*

# SOLUTIONS INSTALLATION AND ACCESSORIES

For the perfect application of your self-adhesive films, we offer a range of specialized products, DINO V solutions and practical tools for easy, professional results.







DIN **GLA1**  
DIN **GLA5**

**DINOV GLASS - GLASS CLEANER**  
Non-corrosive and environmentally friendly

Cleaning solution formulated with raw materials of vegetable and renewable origin from the DID list Ecolabel.

For greater respect of the environment, this product is dye-free.



DIN **GRF1**  
DIN **GRF5**

**DINOV GRAFF - GRAFFITI REMOVER**  
100% vegetal

Solution for removing graffiti from all smooth, non-porous surfaces.

Environmentally friendly.



DIN **ST1**  
DIN **ST5**

**DINOV STICK - INSTALLATION AID**  
Non-corrosive and environmentally friendly

Solution for applying film to glass, delays adhesion of glue to surface.

Environmentally friendly.



DIN **GLU1**  
DIN **GLU5**

**DINOV GLUE - GLUE CLEANER**  
100% vegetal

Solution for removing all traces of glue from your surfaces, leaves no trace after drying.

Environmentally friendly.

MULTI-PURPOSE SQUEEGEES




RAC 15  
15 cm



RAC 22  
22 cm



RAC 25  
25 cm



RAC OR



RAC BLUE



BULL-DOZER



RAC PRO 02

RACLETTES GRAPHIC SOLUTIONS



HEDGE  
Versatile rigid



SEdge  
Versatile flexible



RCL 02  
10 x 7,5 cm



RCL 01  
10 x 7,5 cm



RCL 05  
10 cm



RCL 08  
15 cm



RCL BK 01  
10 x 7,5 cm



RCL BK 02  
10 x 7,5 cm

RUBBER TAPES



RUB 100  
1 m - Soft rubber



RUB 200  
1 m - Hard rubber

FELT



WHTFEL  
White felt



BLKFEL  
Black felt



FTR200  
Felt for 15m squeegee





## THERMAL STRIPPER



**DEC THM**  
1500 W à 2000 W -  
60°C à 650°C - 815g

## AUTOMOBILES



**RAC PPF**



**RCL 03**  
33 x 15 cm



**RCL 04**  
22 cm

## SCRAPERS



**GRA 08**  
08 cm



**GRA 15**  
15 cm



**GRAT 07**



**LAM 15**  
25 blades for GRA 15



**RCL 10**  
16 x 6,5 cm



**CUTSET**  
Set of  
wrapping  
sticks sticks



**MAGCAR 01**  
Wrapping magnet  
(Unit)



**WRST 01**  
Magnetic wristband  
(Sold separately)

## SAFETY SQUEEGEE



**RACL 058-12**  
12 cm



**RACL 058-15**  
15 cm



**RACL 058-20**  
20 cm

## REPLACEMENT RUBBER - RAC



**RUB PRO**  
Refill  
RACPRO 02



**RUB PPF**  
Refill  
RAC PPF



**RUB12-058**  
Refill  
RACL 058-12



**RUB15-058**  
Refill  
RACL 058-15



**RUB20-058**  
Refill  
RACL 058-20

## ACCESSOIRES



**CUT 09**  
13 cm



**LAM 09**  
10 blades for  
CUT 09



**SPRAY**  
Spray head



**HDL CUT**  
Snail for  
film



**ROLLDER**  
Roll holding clip  
x3



**CLOTH 01**  
Cleaning



**GUID 001**  
Guide for  
recutting

SURFACE À TRAITER < 3 M<sup>2</sup>

**KIT POS**  
1/2 LITER SPRAYER  
+ 1 squeegee 15 cm  
+ 1 scraper 8cm  
+ 1 cutter

SURFACE À TRAITER > 3 M<sup>2</sup>

**MAT POS**  
5-LITRE SPRAYER  
+ 1 scraper 22 cm  
+ 1 pro scraper - 15 cm  
+ 1 cutter

SURFACE À TRAITER < 3 M<sup>2</sup>

**KIT POS + DINO**  
1/2 LITER SPRAYER  
+ 1 scraper 15 cm  
+ 1 scraper 8 cm  
+ 1 cutter  
+ Dinov Stick 50 ml

## PULVÉRISATEURS



**PUL KIT**  
1/2 liter



**PUL AUT**  
1,5 liters



**PUL MAT**  
5 liters



**NOUVEAU**  
**PULELC**  
5 liters



**PULCO2**  
Compression  
sprayer  
19 liters



## • ARTICLE 1 - PURPOSE OF THE CONTRACT

The present General Terms and Conditions are applicable to any Service subscribed by the Customer for the needs of his professional activity, directly with the company “Réflectiv” (hereinafter “the Company”). Customers of the Company are retailers, craftsmen, self-employed workers, very small The purpose of these General Terms and Conditions of Sale is to determine the terms and conditions of sale of self-adhesive films by the Company for the needs of its Customers.

## • ARTICLE 2 - CONTRACTUAL DOCUMENTS

The following documents constitute the Contract and form an indivisible whole:

- The quotation signed by the Customer, valid as an order form,
- These General Terms and Conditions of Sale.

The Customer’s signature of the purchase order implies acceptance of these GSC.

## • ARTICLE 3 - ORDERING A PRODUCT / ACCESSORY

The Customer may order a Product and/or Accessory from the Company remotely (on the Company’s website <https://www.reflectiv.com/fr> or by e-mail to [commandes@reflectiv.com](mailto:commandes@reflectiv.com)) (Articles 3.1 and 3.2) or at the Company’s head office (Article 3.3).

### - ARTICLE 3.1 - ORDERING ON THE COMPANY’S WEBSITE

When the Customer places an order on the Company’s website:

- selects the Product(s) and/or Accessory(ies) that make up his/her order order;
- A summary of their order is displayed online;
- He/she acknowledges and accepts the present General Terms and Conditions of Sale;
- The customer may modify or accept the order summary before confirming the order.

After placing the order :

- The Customer will receive an order confirmation for the Product(s) and/or Accessory(ies) selected, together with the present General Terms and Conditions of Sale applicable to the order, at the e-mail address provided. Terms and Conditions of Sale.

### - ARTICLE 3.2 - MAIL ORDER

When the Customer places an order with the Company by e-mail:

- They select the Product(s) and/or Accessory(ies) they wish to order and send an e-mail to the address [commandes@reflectiv.com](mailto:commandes@reflectiv.com),
- By return, the Company sends the Customer a quotation valid for ten (10) days, setting out the details of the Product(s) and/or Accessory(ies) chosen by the Customer, their cost(s), payment terms, place of delivery, etc.),
- The Customer returns the signed quotation to the Company, thus constituting an order form and acceptance of these GCS.

### - ARTICLE 3.3 - ORDERING FROM THE COMPANY’S HEAD OFFICE

When the Customer places an order on the Company’s website:

- selects the Product(s) and/or Accessory(ies) that make up his/her order order;
- A summary of their order is displayed online;
- He/she acknowledges and accepts the present General Terms and Conditions of Sale;
- The customer may modify or accept the order summary before confirming the order.

After placing the order :

- The Customer will receive an order confirmation for the Product(s) and/or Accessory(ies) selected, together with the present General Terms and Conditions of Sale applicable to the order, at the e-mail address provided. Terms and Conditions of Sale.

## • ARTICLE 4 - ORDER DELIVERY

### - ARTICLE 4.1 - TRANSPORT

The Product(s) and Accessory(ies) ordered are transported by a shipping company appointed by the Company. The Company accepts to deliver the Product(s) or Accessory(ies) only when the Customer’s order is exceeds €100 excluding VAT. Shipping costs are invoiced to the Customer by the Company at a flat rate of :

- 30 € excl. VAT per order in Metropolitan France ;
- 58 € excluding VAT in Corsica, Andorra and Monaco.

Delivery of pallets measuring more than two hundred and ten (210) centimetres will incur additional carriage costs invoiced to the Customer by the Company at a rate of forty (40) euros.

When the order exceeds the cost of €300 excluding VAT in metropolitan France, no delivery charges will be applied by the Company to the Customer. Any request for delivery outside the above-mentioned zones (Metropolitan France, Corsica, Andorra and Monaco) and/or by volume will be subject to an estimate submitted in advance by the Company to the Customer. Any parcel refused by the Customer without prior agreement from the Company, or any parcel not collected by the Customer without an explicit reason, will be subject to a charge. will be subject to an additional flat-rate charge of €25 (excl. VAT) on the order. If the Customer is absent when the order is delivered by the carrier, the cost of returning the goods will be charged to the Customer on presentation of an invoice by the Company.

### - ARTICLE 4.2 - DELIVERY TIMES

Orders are delivered in mainland France or anywhere in the world, to the address given at the time of ordering and according to the delivery method chosen by the Customer. Subject to the availability of the Product(s) and/or Accessory(ies) ordered, and the correct payment of the order by the Customer, delivery of the order takes place on average within 48 hours in metropolitan France and within 72 hours in the rest of the world. For orders placed at weekends or on public holidays, delivery times are calculated from the next working day. Delivery times are given as an indication only, and any delays attributable to the carrier do not entitle the purchaser to cancel the sale, refuse the goods or service or claim damages.

## • ARTICLE 5 - ORDER PRICE

The price of the Product(s) and/or Accessory(ies) applicable is that indicated on the quotation accepted by the Customer, which also constitutes an order form. This price also appears on the invoice issued by the Company to the Customer.

The price of the Product(s) and/or Accessory(ies) is payable at the time of order by the Customer and is expressed in euros, exclusive of VAT and delivery charges. VAT, at the rate applicable at the time the order is placed, is added to the price excluding VAT on the invoice. Any change in the VAT rate may be reflected in the price of the Product(s) and/or Accessory(ies). Prices are increased on the invoice by the taxes legally applicable applicable on the day of invoicing. The Customer is debited by the means of payment indicated when placing the order with the Company. The Product(s) and/or Accessory(ies) are invoiced on the basis of the prices in force on the day of the order.

## • ARTICLE 6 - PAYMENT TERMS

Unless otherwise specified, payment for the Product(s) and/or Accessory(ies) by the Client to the Company shall be made in full at the time of ordering, prior to shipment or pickup of the merchandise, upon presentation of the invoice by the Company to the Client. If the Client is a public entity, the invoice issued by the Company will be transmitted through the platform named «CHORUS PRO.» Payment for the Product(s) and/or Accessory(ies) by the Client to the Company may be made:

- By bank transfer: to the Company’s bank account, with details provided on the invoice received by the Client. No order will be shipped until the Company’s accounting department has confirmed the bank transfer.
- By credit card: on the Company’s website or via email through a secure link entitled SYSTEM PAY (STRIPE), active for 24 hours. No order will be shipped until the Company’s accounting department has confirmed the Client’s credit card payment.

No discount applies for early payment. Any credit note granted by the Company to the Client is valid for one (1) year. The Company retains full ownership of the Product(s) and/or Accessory(ies) until payment is received in full. Any order that includes a service (such as cutting, etc.) must be paid in full at the time of ordering, in cash, prior to the service being performed.

## • ARTICLE 7 – LATE OR NON-PAYMENT

The payment term for invoices issued by the Company is thirty (30) calendar days from the date of the invoice. In the event of late or non-payment by the Client, the Company reserves the right to suspend all ongoing orders with the Client. Any delay or failure in payment by the Client will result in the following penalties, applied by the Company after a reminder:

- A fixed recovery fee of forty (40) euros,
- An interest rate based on the European Central Bank’s most recent refinancing operation rate, increased by 10 percentage points,
- A recovery fee equal to 8% of the outstanding amount as a penalty clause.

These measures are intended to compensate the Company for additional recovery expenses incurred due to late or non-payment.

Any claim by the Client regarding an order placed with the Company shall not, under any circumstances, suspend the payment of the invoices related to that order. Invoices issued to the State, local authorities, and their public institutions are payable in accordance with the terms set forth by the Public Procurement Code, including provisions relating to late payment interest, which will be automatically due in the event of non-payment within the required time frame.

## • ARTICLE 8 – CLIENT’S OBLIGATIONS

In accordance with Article 7 of these General Terms and Conditions of Sale, the Client is required to settle the Company’s invoice within thirty (30) days from the date of issuance. The Client also undertakes to verify the conformity of the Product(s) or Accessory(ies) ordered upon delivery and in the presence of the carrier (condition, quantity, reference, etc.). Any non-conformity of the Product(s) or Accessory(ies) must be clearly, precisely, and fully noted by the Client on the delivery slip and immediately reported to the Company by email.

## • ARTICLE 9 – OBLIGATIONS AND LIABILITY OF THE COMPANY

The Company is only bound by a best-effort obligation and, as such, undertakes to make every effort to deliver the Product(s) or Accessory(ies) ordered by the Client. To enhance the production of its Products and Accessories, the Company reserves the right to modify colors and manufacturing processes without prior notice, with no liability to the Client. In the event that the Client suffers damage due to proven fault by the Company in the performance of one of its contractual obligations, it is expressly agreed that the Company’s liability will be limited to compensation for direct and certain damages resulting from that fault. Any claim by the Client for intangible or indirect damages is excluded. Intangible or indirect damages include, but are not limited to, financial or commercial losses, loss of revenue, profits, operations, business opportunities, clients, expected earnings, fines, or increased overhead costs.

## • ARTICLE 10 – LIMITATION OF COMPANY LIABILITY

The Company shall not be held liable in the following cases:

Client’s Fault: Specifically, if:

- The Client fails to follow the recommendations provided by the Company regarding the use of the Product(s) and/or Accessory(ies),
- The Product(s) and/or Accessory(ies) are damaged or altered due to improper handling or misuse by the Client, such as installation on unsuitable surfaces or improper storage,
- The Product(s) and/or Accessory(ies) suffer partial or total destruction, alteration, or deterioration due to transport, storage, or any processing initiated by the Client, or resulting from express instructions or requests by the Client for reprocessing of the Product(s),
- The Client uses equipment incompatible with the Product(s) and/or Accessory(ies) supplied by the Company.

In these cases, the Company’s responsibility cannot be invoked, and the Client assumes full responsibility for any resulting damages.

- Incidents or Accidents Caused by Incorrect Maneuvers, Malicious Acts, or External Intervention Attributed to the Client: The Company shall not be held liable in cases where incidents or accidents arise due to incorrect maneuvers, malicious acts, or any external intervention that is the fault of the Client.
- Technical or Material Inability to Supply the Product(s) and/or Accessory(ies): The Company shall not be held liable if it is technically or materially impossible to supply the Product(s) and/or Accessory(ies) ordered by the Client.
- Force Majeure: In the event of force majeure, as defined below, the Company shall not be held liable. Force majeure includes, but is not limited to, the cases provided for in Article 1218 of the Civil Code, such as exceptional weather conditions or other natural disasters like lightning, fires, explosions, or floods; rebellions, riots, or similar acts; states of war, a health crisis, strikes, acts of vandalism, or acts of third parties.

If a force majeure event prevents either Party from fulfilling an essential obligation under the Contract for a period exceeding thirty (30) days, either Party may terminate the Contract by sending a registered letter with acknowledgment of receipt, without any entitlement to compensation for either Party.

## • ARTICLE 11 – RETURN OF PRODUCT(S) AND/OR ACCESSORY(IES)

Any non-conformity of the Product(s) and/or Accessory(ies) ordered by the Client and identified upon delivery may be returned to the Company under the following conditions:

- Return Deadline: The Client has fifteen (15) days from the date of delivery of the non-conforming Product(s) and/or Accessory(ies) to return the items to the Company.
- Post-Delivery Non-Conformity: If the non-conformity of the Product(s) and/or Accessory(ies) appears after delivery, particularly during installation or use, the Client may return the defective Product(s) and/or Accessory(ies) to the Company under the commercial and legal guarantees provided in Article 12 of these Terms, unless the Company’s liability is excluded in accordance with Article 10.
- Prior Agreement for Return: Any return of Product(s) and/or Accessory(ies) must be authorized in writing by the Company in advance. Any Product(s) and/or Accessory(ies) returned without prior agreement will not be eligible for a refund or credit note.
- Return Conditions: The Product(s) and/or Accessory(ies) must be returned in their original packaging, unopened, along with a copy of the initial delivery slip and/or invoice.
- Return Shipping Costs: The return shipping costs for the Product(s) and/or Accessory(ies) are the responsibility of the Client.

## • ARTICLE 12 – WARRANTIES

### - 12.1 COMMERCIAL WARRANTY

The Company undertakes to deliver Product(s) and/or Accessory(ies) that conform to its technical specifications and to replace any goods deemed defective by the Company within six (6) months following the delivery of the Product(s) and/or Accessory(ies). The Company’s commercial warranty will only apply in the case of a manufacturing defect of the Product(s) and/or Accessory(ies). This warranty will not apply in the event of the occurrence of bodily or material damages of any kind, which would be the direct or indirect consequence of improper adaptation of the Product(s) and/or Accessory(ies), improper storage, or defective use by the Client.

### - 12.2 LEGAL WARRANTY

Independently of the commercial warranty, the Client benefits from the legal warranty against hidden defects, as outlined below:

Article 1641 of the Civil Code: «The seller is bound by a warranty for hidden defects of the item sold that make it unfit for its intended use, or that so diminish its use that the buyer would not have acquired it, or would have paid a lower price if they had known of the defects.»

Article 1642 of the Civil Code: «The seller is not liable for obvious defects that the buyer could have discovered themselves.»

Article 1643 of the Civil Code: «The seller is liable for hidden defects, even if they were unaware of them, unless in this case, they have explicitly stated that they will not be bound by any warranty.»

Article 1646 of the Civil Code: «If the seller was unaware of the defects, they will only be required to refund the price and reimburse the buyer for the costs incurred by the sale.»

Article 1648, paragraph 1 of the Civil Code: «The action resulting from hidden defects must be brought by the buyer within two years from the discovery of the defect.»

## • ARTICLE 13 – PERSONAL DATA PROCESSING

Each Party agrees to comply with Regulation (EU) 2016/679 of April 27, 2016 (General Data Protection Regulation, «GDPR»). By entering into the Contract, the Client consents to the Company using their personal data in the context of the execution of the said Contract. The Client has the right to access, rectify, and delete their personal data.

The Client also has the right to object to the processing of their data or request its limitation. These rights can be exercised by writing to the Company «Réflectiv», either by registered mail with acknowledgment of receipt to the Company’s registered address or by email at [commandes@reflectiv.com](mailto:commandes@reflectiv.com).

The processing of personal data by the Company is based on legitimate interests, namely the execution of the Contract between the Company and the Client, compliance with legal and regulatory obligations, and the Client’s consent to the terms of this Contract. The data is retained for the duration of the validity of the contract, plus the duration of the applicable statutory limitation period.

## • ARTICLE 14 – JURISDICTION CLAUSE

In the event of a dispute regarding the interpretation or execution of the Chimney Sweeping and Maintenance Contract and/or these General Terms and Conditions of Service, the competent court shall be the Commercial Court of Créteil, notwithstanding the plurality of defendants, third-party claims, or summary proceedings.

## ARTICLE 15 - RETURNS / GUARANTEES

Without prejudice to the measures to be taken with regard to the carrier, complaints concerning manufacturing defects or the non-conformity of the goods delivered with the goods ordered or with the delivery note must be made by registered letter with acknowledgement of receipt within eight days of receipt of the goods.

The Customer, who is responsible for providing all supporting information (batch numbers in particular), agrees to allow Réflectiv every facility to proceed with the observation of defects or anomalies and to remedy them; the Customer refrains from intervening, directly or indirectly, on the products.

Goods are neither taken back nor exchanged, except in the case of manufacturing defects or non-conformity of the goods, duly noted by a person from Réflectiv. No claim will be possible if the goods have been used or transformed by the Customer or, in general, if they are no longer in the condition in which they were delivered, provided that the manufacturing defects or non-conformity that are the subject of the claim could have been detected prior to use.

In the event of a manufacturing defect or non-conformity of the products delivered, duly noted by Réflectiv under the conditions set forth above, the Customer may obtain, at Réflectiv’s option, and subject to the conditions set forth in Réflectiv’s warranty documents, free replacement of the goods, to the exclusion of any indemnity or damages.



# Reflectiv.

## Window Films

Showroom : 36 rue Réaumur , 75003  
Head office : P.A. des petits carreaux - 2 avenue es orangers  
94380 Bonneuil sur marne - FRANCE  
Tel : +33 (0) 143 99 00 22  
Mail : [info@reflectiv.com](mailto:info@reflectiv.com)  
[WWW.REFLECTIV.COM](http://WWW.REFLECTIV.COM)