











ESPECIFICACIONES DE PRODUCTO

DIBUJO	MATERIAL	REFERENCIA
	<p>1173</p> <p>PVC rígido</p> <p>A=20±0,5</p> <p>B=5,6±0,5</p> <p>C=4,3±0,8</p>	<p>1652</p>
	<p>1173</p> <p>PVC rígido</p> <p>A=20±0,5</p> <p>B=4,3±0,5</p> <p>C=4,9±0,8</p>	<p>1755</p>
	<p>1173</p> <p>PVC rígido</p> <p>A=20,5±0,5</p> <p>B=6,5±0,5</p> <p>C=5±0,8</p>	<p>3681</p>
	<p>1173</p> <p>PVC rígido</p> <p>A=25±0,5</p> <p>B=6±0,5</p> <p>C=5±0,5</p> <p>D=3,2±0,2</p>	<p>3787</p>

JESVY ESPECIFICACIONES DE PRODUCTO

DIBUJO	MATERIAL	REFERENCIA
	<p>1173</p> <p>PVC rígido</p> <p>A=25±0,5</p> <p>B=6±0,5</p> <p>C=5±0,5</p> <p>D=3,7±0,2</p>	<p>3787/A</p>
	<p>1173</p> <p>PVC rígido</p> <p>A=8±0,5</p> <p>B=3±0,5</p>	<p>3708</p>
	<p>1173</p> <p>PVC rígido</p> <p>A=9±0,5</p> <p>B=3±0,5</p>	<p>4244</p>
	<p>1232+1102</p> <p>PVC rígido+semirígido</p> <p>A=18±0,5 grueso 1±0,3</p> <p>B=15,5±0,5</p> <p>C=30±0,5</p>	<p>4186</p>

ESPECIFICACIONES DE PRODUCTO

DIBUJO	MATERIAL	REFERENCIA
 <p>Technical drawing of profile 1341. It shows a cross-section of an L-shaped profile with a vertical leg of height B and a horizontal leg of length A. The thickness of the vertical leg is C. Dimension lines with arrows indicate the extent of each dimension.</p>	<p>1173</p> <p>PVC rígido</p> <p>A=17±0,5</p> <p>B=5±0,5</p> <p>C=4,5±0,5</p>	<p>1341</p>
 <p>Technical drawing of profile 1652/1. It shows a cross-section of an L-shaped profile with a vertical leg of height B and a horizontal leg of length A. The thickness of the vertical leg is C. Dimension lines with arrows indicate the extent of each dimension.</p>	<p>1173</p> <p>PVC rígido</p> <p>A=20±0,5 grueso 1±0,2</p> <p>B=5,6±0,5</p> <p>C=4,3±0,8</p>	<p>1652/1</p>