

YUPO EUROPE GmbH

Schiessstrasse 47 D-40549 Düsseldorf +49 (0) 211 520 54 30 www.yupo.eu

Data Sheet: YupoTako

WKFS 340

About the product:

- YUPOTako is a synthetic paper made of Polypropylene, Inorganic fillers and additives with an acrylic layer on the backside that stick to flat surfaces without adhesive.
- YUPOTako WKFS 340 is designed for sheet offset printing conventional and UV. And for conventional silk screen with solvent inks (not for UV silk screen).
- For additional information, please refer to YUPOTako leaflet.

Printing Method:

Offset, UV-Offset, Silk screen

Physical Properties (measured values):

| Thickness | | micron | 320 |
|--------------------|----|---------|-------|
| Basis Weight | | g/m² | 220,0 |
| Density | | g/cm³ | 0,69 |
| Brightness | | % | 97 |
| Opacity | | % | 97,0 |
| Gloss (Top/Bottom) | | % | 53 |
| Tensile Strength | MD | kN/m | = |
| | CD | kN/m | = |
| Elongation | MD | % | = |
| | CD | % | = |
| Tear strength | MD | mN | - |
| | CD | mN | = |
| Clark stiffness | MD | s-value | = |
| | CD | s-value | - |
| Surface resistance | | omega | - |
| | | | |

This document is provided for informational purposes only and is not intended to be a specific agreeement. YUPO EUROPE reserves the right to make changes to the values shown as required to improve product performance.

Issued: June 2023 YUPO Europe Uncontrolled Document