



**YUPO EUROPE GmbH**  
Schiebsstrasse 47  
D-40549 Düsseldorf  
+49 (0) 211 520 54 30  
www.yupo.eu

**Data Sheet:**

**SuperYupo**

# FEBG 250

**About the product:**

- YUPO FEBG 250 is a synthetic paper made of Polypropylene, Inorganic fillers and additives. FEBG 250 is designed for sheet Offset printing with fast ink drying time with oxidative inks, Flexo, Gravure, Letterpress, TTR and Silk Screen with solvent inks.
- This grade is designed for general graphics and is both sides printable.
- FEBG 250 ensures water resistance, chemical resistance and durability.

**Printing Method:**

Offset, UV-Offset, Narrow web, TTR, Conv screen, MGI, (Latex)

**Physical Properties (measured values):**

Thickness		micron	250
Basis Weight		g/m <sup>2</sup>	200,0
Density		g/cm <sup>3</sup>	0,80
Brightness		%	98
Opacity		%	99,0
Gloss (Top/Bottom)		%	46
Tensile Strength	MD	kN/m	10
	CD	kN/m	35
Elongation	MD	%	120
	CD	%	30
Tear strength	MD	mN	1430
	CD	mN	670
Clark stiffness	MD	s-value	210
	CD	s-value	300<
Surface resistance		omega	1x10 <sup>11</sup>

This document is provided for informational purposes only and is not intended to be a specific agreement. YUPO EUROPE reserves the right to make changes to the values shown as required to improve product performance.

Issued: June 2023

YUPO Europe

Uncontrolled Document